



**S/5™ Light Monitor**  
**The portable vital signs monitor**

# Cost-effective vital signs monitoring in a portable package

The S/5™ Light Monitor is a portable vital signs monitor that helps you measure your patient's vital signs efficiently and without interruption at the bedside or during transport. And as a member of the S/5 Monitoring family, its user interface, accessories and service requirements are familiar and compatible.

## Easy to use



## Easy monitoring

The S/5 Light Monitor is preconfigured for automatic monitoring. To start monitoring, simply press the start button and connect to your patient.

- Easy and fast patient admission
- Color-coded function keys allow quick access to vital information
- Normal Screen key and on-line help
- Optimized menu structure and ComWheel™ for ease of use
- Automatic numerical and graphical patient value trending

## Portable



## Designed for portability

The S/5 Light Monitor is designed to ensure effortless monitoring during transport between care sites or in the emergency department.

- Lightweight and compact in shape
- Handle with hooks makes it easy to lift, carry and attach to bed or wall rail
- Optional battery, operation extendable with spare batteries
- Optional protective case for monitor and accessories
- Optional power adapter for transport use

## Versatile



## Maximized value

The S/5 Light Monitor measures ECG, Respiration, SpO<sub>2</sub>, NIBP and temperature. The wide range of options maximizes its value.

- Mainstream CO<sub>2</sub> and two invasive blood pressures for added monitoring versatility
- 3-channel thermal array recorder for printing waveforms and trend data
- DataCard and S/5 Network options for data continuity
- Rechargeable battery module or backup battery
- External battery charger



### Efficient

The S/5 Light Monitor is designed to help you monitor easily and efficiently.

- Large, high-resolution, configurable 9" EL screen
- Outstanding visibility and definition at long distances and a wide range of viewing angles
- Four crisp waveforms with numerics and four digit fields, giving eight parameter values (plus mean pressure readings and respiration)
- Battery status display clearly indicates remaining capacity

### Mounting solutions



Mounting solutions for wall, roll stand and fixed vertical pole let you position the S/5 Light Monitor for optimum visibility and bedside comfort.

### Data continuity




Use the DataCard (optional) to collect patient trend data during transport and integrate it into other Datex-Ohmeda S/5 monitoring systems.

### Battery management



The optional battery module provides two hours of continuous monitoring. Batteries can be changed independently.



**Data continuity**

The DataCard lets you collect and store patient trend data during transport and integrate it into your Datex-Ohmeda anesthesia and critical care monitoring systems. The S/5 Light Monitor also connects to the Datex-Ohmeda S/5™ Central and Network to enable central viewing, printing and real-time remote information retrieval to other S/5 monitors.



**Datex-Ohmeda Division** ■ Instrumentarium Corp.  
 P.O. Box 900, FIN-00031 Datex-Ohmeda, Finland  
 Tel. +358 10 394 11 ■ Fax +358 9 146 3310

[www.datex-ohmeda.com](http://www.datex-ohmeda.com)



**Datex-Ohmeda, Inc.**  
 P.O. Box 7550, Madison, WI 53707-7550, USA  
 Tel. 800 345 2700 ■ Fax 608 221 4384

In the USA: [www.us.datex-ohmeda.com](http://www.us.datex-ohmeda.com)